Form 3160-3 (August 2007)

# UNITED STATES

FORM	APPR	OVED
OMB N	lo. 1004	1-0137
Expires	July 31	. 2010

BUREAU OF LAND MANAGEMENT				UTU-7308	9
APPLICATION FOR PERMIT TO	6. If Indian, Alloted	e or Tribe Name			
1a. Type of work: ✓ DRILL REENTER				7. If Unit or CA Agr	reement, Name and No.
lb. Type of Well: ✓ Oil Well Gas Well Other ✓ Single Zone Multiple Zone			8. Lease Name and Federal 13-19-8		
2. Name of Operator Newfield Production Company				9. API Well No.	13-34170
3a. Address Route #3 Box 3630, Myton UT 84052	1	No. (include area code) 5) 646-3721	:	10. Field and Pool, or	Exploratory tte Under (1)
4. Location of Well (Report location clearly and in accordance with an At surface SW/SW (LOT #4) 443' FSL 770' FWL 570966 X At proposed prod. zone 44386894	40.	ements.*) 04734 0.16747			Blk. and Survey or Area
14. Distance in miles and direction from nearest town or post office* Approximately 9.5 miles southwest of Myton, UT		· · · · · · · · · · · · · · · · · · ·		12. County or Parish Duchesne	13. State UT
15. Distance from proposed* location to nearest property or lease line, ft. Approx. 443' f/lse, NA' f/unit (Also to nearest drig. unit line, if any)		acres in lease	17. Spacin	g Unit dedicated to this 40 Acres	well
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft.  Approx. 2200'	]	- Tropostoria		BIA Bond No. on file	
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5609' GL	22. Appro	ximate date work will sta	rt*	Estimated duration     (7) days from SPUD to rig release	
	24. Att	achments			<del></del>
The following, completed in accordance with the requirements of Onshor	re Oil and Ga	s Order No.1, must be at	tached to thi	is form:	1920
<ol> <li>Well plat certified by a registered surveyor.</li> <li>A Drilling Plan.</li> <li>A Surface Use Plan (if the location is on National Forest System SUPO must be filed with the appropriate Forest Service Office).</li> </ol>	Lands, the	Item 20 above).  5. Operator certific	ation	·	s may be required by the
25. Signature		Name (Printed/Typed)  Mandie Crozier  Date		Date	
Title Regulatory Specialist		C			
Regulatory Specialist Approved by Signature		e (Printed/Typed) BRADLEY G	. HILL		Date 01-26-09
Title		NVIRONMENTAL N		3	
Application approval does not warrant or certify that the applicant holds conduct operations thereon. Conditions of approval, if any, are attached.	s legal or eq	uitable title to those right	ts in the sub	ject lease which would	entitle the applicant to
				····	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

\*(Instructions on page 2)



**RECEIVED** JAN 1 3 2009

DIV. OF OIL, GAS & MINING

## T8S, R16E, S.L.B.&M.

## NEWFIELD PRODUCTION COMPANY

WELL LOCATION, NORTH TRAVIS 13-19-8-16, LOCATED AS SHOWN IN THE SW 1/4 SW 1/4 (LOT 4) OF SECTION 19, T8S, R16E, S.L.B.&M. DUCHESNE COUNTY, UTAH.

Mile Stone 22 1/2 Rebar/Set Stone

## WELL LOCATION: NORTH TRAVIS 13-19-8-16

ELEV. UNGRADED GROUND = 5608.7'

ELEV. UNGRADED GROUND = 5608.7'

BOUNDARY

BOUNDARY

BOUNDARY

Brass Cap

C.C.

Brass Cap

C.C.

ST4'22'37"W

ST4'45'W

Alios Stane

2635.69

1201.43'

Mile Stane

200'

Lot 4

Lot 3

Cap C.q.

DRILLING

MNDOW

N89'46'50"E - 2475.63' (Meas.)

S89'56'E GL.O. (Basis of Bearings)

S89'56'E - 77.49 (G.L.O.) 2645.49' (Meas.)

THIS IS TO CERTIFY THAT OFFE ARGANT, PER WAS PREPARED FROM FIELD OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND FLIER NO.189377

SCALE

REGISTER D LAND SURVEYOR REGISTRA PONJO. SOCIETA

#### TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. – VERNAL, UTAH 84078 (435) 781–2501

DATE SURVEYED: 10-30-08	SURVEYED BY: T.H.
DATE DRAWN: 10-31-08	DRAWN BY: F.T.M.
REVISED:	SCALE: 1" = 1000'

= SECTION CORNERS LOCATED

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (MYTON SW) NORTH TRAVIS 13-19-8-16 (Surface Location) NAD 83 LATITUDE = 40° 05′ 50.72″ LONGITUDE = 110° 10′ 05.77″

### NEWFIELD PRODUCTION COMPANY FEDERAL 13-19-8-16 SW/SW (LOT #4) SECTION 19, T8S, R16E DUCHESNE COUNTY, UTAH

#### ONSHORE ORDER NO. 1

#### **DRILLING PROGRAM**

#### 1. <u>GEOLOGIC SURFACE FORMATION:</u>

Uinta formation of Upper Eocene Age

#### 2. <u>ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:</u>

Uinta

0' - 1680'

Green River

1680'

Wasatch

6575

Base of Moderately Saline Ground Water @ 5300'

#### 3. <u>ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:</u>

Green River Formation 1680' - 6575' - Oil

#### 4. PROPOSED CASING PROGRAM

Please refer to the Monument Butte Field Standard Operation Procedure (SOP).

#### 5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

Please refer to the Monument Butte Field SOP. See Exhibit "C".

#### 6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

Please refer to the Monument Butte Field SOP.

#### 7. <u>AUXILIARY SAFETY EQUIPMENT TO BE USED:</u>

Please refer to the Monument Butte Field SOP.

#### 8. <u>TESTING</u>, LOGGING AND CORING PROGRAMS:

Please refer to the Monument Butte Field SOP.

#### 9. <u>ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:</u>

The anticipated maximum bottom hole pressure is 1800 psi. It is not anticipated that abnormal temperatures will be encountered.

#### 10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:

Please refer to the Monument Butte Field SOP.

## NEWFIELD PRODUCTION COMPANY FEDERAL 13-19-8-16 SW/SW (LOT #4) SECTION 19, T8S, R16E DUCHESNE COUNTY, UTAH

#### ONSHORE ORDER NO. 1

#### MULTI-POINT SURFACE USE & OPERATIONS PLAN

#### 1. EXISTING ROADS

See attached Topographic Map "A"

To reach Newfield Production Company well location site Federal 13-19-8-16 located in the SW 1/4 SW 1/4 Section 19, T8S, R16E, Duchesne County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.4 miles  $\pm$  to the junction of this highway and UT State Hwy 53; proceed southwesterly -6.4 miles  $\pm$  to it's junction with an existing road to the southwest; proceed southwesterly -1.4 miles  $\pm$ ; turn and continue in a northwesterly direction -0.3 miles  $\pm$  to it's junction with the proposed access road to the southwest; proceed along the proposed access road -280°  $\pm$  to the proposed well location.

#### 2. PLANNED ACCESS ROAD

See Topographic Map "B" for the location of the proposed access road.

#### 3. LOCATION OF EXISTING WELLS

Refer to Exhibit "B".

#### 4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

All permanent surface equipment will be painted Carlsbad Canyon.

Please refer to the Monument Butte Field Standard Operating Procedure (SOP).

#### 5. LOCATION AND TYPE OF WATER SUPPLY

Newfield Production will transport water by truck for drilling purposes from the following water sources:

Johnson Water District Water Right: 43-7478

Neil Moon Pond

Water Right: 43-11787

Maurice Harvey Pond Water Right: 47-1358

Newfield Collector Well

Water Right: 41-3530 (A30414DV, contracted with the Duchesne County Conservancy District).

Please refer to the Monument Butte Field SOP. See Exhibit "A".

#### 6. SOURCE OF CONSTRUCTION MATERIALS

Please refer to the Monument Butte Field SOP.

#### 7. METHODS FOR HANDLING WASTE DISPOSAL

Please refer to the Monument Butte Field SOP.

#### 8. ANCILLARY FACILITIES

Please refer to the Monument Butte Field SOP.

#### 9. <u>WELL SITE LAYOUT</u>

See attached Location Layout Diagram.

#### 10. PLANS FOR RESTORATION OF SURFACE

Please refer to the Monument Butte Field SOP.

 SURFACE OWNERSHIP - Bureau Of Land Management (Proposed location and access roads leading to).

#### 12. OTHER ADDITIONAL INFORMATION

The Archaeological Resource Survey and Paleontological Resource Survey for this area are attached. MOAC Report #08-349, 12/23/08. Paleontological Resource Survey prepared by, Wade E. Miller, 11/11/08. See attached report cover pages, Exhibit "D"

The Paleontological Resource Survey for this area is attached. Paleontological Resource Survey prepared by, Wade E. Miller, 11/11/08. The Archaeological Resource Survey will be forthcoming. See attached report cover page, Exhibit "D".

Newfield Production Company requests 280' of disturbed area be granted in Lease UTU-73089 to allow for construction of the planned access road. Refer to Topographic Map "B". A permanent width of 30' and a running surface of 18' is proposed for the planned access road. The construction phase of the planned access road will last approximately (5) days. The planned access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%. There will be no culverts required along this access road. There will be barrow ditches and turnouts as needed along this road. There are no fences encountered along this proposed road. There will be no new gates or cattle guards required. All construction material for this access road will be borrowed material accumulated during construction of the access road.

Newfield Production Company requests a 4090' ROW in Lease UTU-34173, a 3110' ROW in Lease UTU-071572A, a 5560' ROW in Lease UTU-69060, a 4540' ROW in Lease UTU-69061, a 2000' ROW in Lease UTU-77339, a 10,630' ROW in Lease UTU-8100, a 960' ROW in Lease UTU-77339, and 3640' of disturbed area be granted in Lease UTU-73089 to allow for construction of the proposed surface gas lines. It is proposed that the ROW and disturbed area will temporarily be 50' wide to allow for construction of a 10" or smaller gas gathering line, and a 3" poly fuel gas line, with a permanent width of 30' upon completion of the proposed gas lines. The construction phase of the proposed gas lines will last approximately (5) days. Both lines will tie in to the existing pipeline infrastructure. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP.

Newfield Production requests a 4090' ROW in Lease UTU-34173, a 3110' ROW in Lease UTU-071572A, a 5560' ROW in Lease UTU-69060, a 4540' ROW in Lease UTU-69061, a 2000' ROW in Lease UTU-77339, a 10,630' ROW in Lease UTU-8100, a 960' ROW in Lease UTU-77339,

and 3640' of disturbed area be granted in Lease UTU-73089 to allow for construction of the proposed water lines. It is proposed that the ROW and disturbed area will temporarily be 50' wide to allow for construction of a buried 3" steel water injection line and a buried 3" poly water return line, with a permanent width of 30' upon completion of the proposed water return line. The construction phase of the proposed water lines will last approximately (5) days. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP. In the event that the proposed well is converted to a water injection well, a separate injection permit will be applied for through the proper agencies.

#### Water Disposal

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project.

Water not meeting quality criteria, is disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E), State of Utah approved surface disposal facilities, or Federally approved surface disposal facilities.

#### Threatened, Endangered, And Other Sensitive Species

Mountain Plover: If new construction or surface disturbing activities are scheduled to occur between May 15 and June 15, detailed surveys of the area within 0.5 mile of the proposed location and within 300 feet of proposed access routes must be conducted to detect the presence of mountain plovers. All surveys must be conducted in accordance with the survey protocols outlined in the most recent USFWS Survey Protocol. Surveys must be completed prior to initiating new construction or surface disturbing activities. No new construction or surface disturbing activities will be allowed between May 15 and June 15 within a 0.5 mile radius of any documented mountain plover nest site.

#### Reserve Pit Liner

A 16 mil liner with felt is required. Please refer to the Monument Butte Field SOP.

#### **Location and Reserve Pit Reclamation**

Please refer to the Monument Butte Field SOP.

The following seed mixture will be used on the topsoil stockpile, to the recontoured surface of the reserve pit, and for final reclamation: (All poundages are in pure live seed)

Squirrell Tail	Elymus Elymoides	6 lbs/acre
Siberian Wheatgrass	Agropyron Fragile	2 lbs/acre
Gardner Saltbush	Atriplex Gardneri	1 lbs/acre
Shadscale	Atriplex Confertifolia	1 lbs/acre
Fourwing Saltbush	Atriplex Canescens	1 lbs/acre
Scarlet Globemallow	Sphaeralcea Conccinea	0.20 lbs/acre
Forage Kochia	Kochia Prostrata	0.20 lbs/acre

#### **Details of the On-Site Inspection**

The proposed Federal 13-19-8-16 was on-sited on 11/13/08. The following were present; Dave Allred (Newfield Production), Tim Eaton (Newfield Production), Dave Gordon (Bureau of Land Management), Brandon McDonald (Bureau of Land Management) and James Herford (Bureau of Land Management). Weather conditions were clear and ground cover was 100% open.

#### LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION

Representative

Name:

Dave Allred

Address:

Route #3 Box 3630 Myton, UT 84052

Telephone:

(435) 646-3721

#### **Certification**

Please be advised that NEWFIELD PRODUCTION COMPANY is considered to be the operator of well #13-19-8-16 SW/SW Section 19, Township 8S, Range 16E: Lease UTU-73089 Duchesne County, Utah: and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by, Federal Bond #WYB000493.


I hereby certify that the proposed drill site and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Newfield Production Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

 12/12/08	
Date	

Mandie Crozier


Regulatory Specialist


**Newfield Production Company** 





# NEWFIELD PRODUCTION COMPANY

## CROSS SECTIONS NORTH TRAVIS 13-19-8-16









1" = 50'

STA. 0+00


ESTIMATED EARTHWORK QUANTITIES
(No Shrink or swell adjustments have been used)
(Expressed in Cubic Yards)

ITEM	CUŢ	FILL	6" TOPSOIL	EXCESS
PAD	4,980	3,220	Topsoil is	1,760
PIT	640	0	in Pad Cut	640
TOTALS	5,620	3,220	1,070	2,400

NOTE: UNLESS OTHERWISE NOTED ALL CUT/FILL SLOPES ARE AT 1.5:1

SURVEYED BY: T.H.	DATE SURVEYED:	10-30-08
DRAWN BY: F.T.M.	DATE DRAWN:	10-31-08
SCALE: 1" = 50'	REVISED:	

 $egin{array}{lll} egin{array}{lll} Tri & State & {}^{ ag{435}} {}^{ ag{781-2507}} \ Land & Surveying, & Inc. \ & \_ \searrow & 180 & NORTH & VERNAL & AVE. & VERNAL, & UTAH & 84078 \end{array}$ 



SURVEYED BY: T.H.	DATE SURVEYED:	10-30-08	Mri State (435) 781-2501
DRAWN BY: F.T.M.	DATE DRAWN:	10-31-08	/ Land Surveying, Inc.
SCALE: $1" = 50'$	REVISED:		180 NORTH VERNAL AVE. VERNAL, UTAH 84078


# **Newfield Production Company Proposed Site Facility Diagram**


Federal 13-19-8-16


SW/SW (LOT #4) Sec. 19, T8S, R16E


**Duchesne County, Utah** 


UTU-73089















2-M SYSTEM

**Blowout Prevention Equipment Systems** 



**EXHIBIT C** 

Exhibit "D"

# CULTURAL RESOURCE INVENTORY OF NEWFIELD EXPLORATION'S PROPOSED NORTH TRAVIS PIPELINE AND SOUTH WELLS DRAW WELL LOCATION, DUCHESNE COUNTY, UTAH

By:

Jacki A. Montgomery

Prepared For:

Bureau of Land Management Vernal Field Office

Prepared Under Contract With:

Newfield Exploration Company Route 3 Box 3630 Myton, UT 84052

Prepared By:

Montgomery Archaeological Consultants, Inc. P.O. Box 219 Moab, Utah 84532

MOAC Report No. 08-349

December 23, 2008

United States Department of Interior (FLPMA)
Permit No. 08-UT-60122

State of Utah Antiquities Project (Survey) Permit No. U-08-MQ-1217b

Exhibit 10

# NEWFIELD EXPLORATION COMPANY

# PALEONTOLOGICAL SURVEY OF PROPOSED PRODUCTION DEVELOPMENT AREAS, **DUCHESNE COUNTY, UTAH**

SE1/4, SW1/4 & SW1/4 & SE1/4, SE1/4, Sec. 2, T 9 S, R 16 E [14, 15 & 16-2-9-16]: SW1/4 & SE1/4, SW1/4 & SW1/4 & SE1/4, SE1/4; Sec.19, T 8 S, R 16 E [13,14,15 &16-19-8-16]; Section 22, T 8 S, R 16 E (excluding SW1/4, SW1/4 [13-22-8-16]); NW1/4 & SW1/4,NW 1/4 & NE1/4, NW1/4 & SW1/4, SW1/4; Section 23, T 8 S, R 16 È 4,5,11,12 & 13-23-8-16]; NE1/4 & NW1/4, NE1/4, All of the NW1/4; SW1/4, NE1/4; NE1/4, NW1/4 & SE1/4, SW1/4; Sec. 27, T 8 S, R 16 E [1,2,3,4,5,6,7,11,12 & 14-27-8-16]; All of the NE1/4; NW1/4, SW1/4 & SE1/4, NE1/4; NW1/4 & SW1/4, SW1/4; Sec. 28, T 8 S, R 16 E [1,2,4,5,6,7,11,12 &14-28-8-16]; All of Section 29, T 8 S, R 16 E (excluding SW1/4 & SE1/4, SW1/4 [13 & 14-29-8-16])

# REPORT OF SURVEY

Prepared for:

**Newfield Exploration Company** 


Prepared be:

Wade E. Miller **Consulting Paleontologist** November 11, 2008



#### APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 01/13/2009	API NO. ASSIGNED: 43-013-34170
WELL NAME: FEDERAL 13-19-8-16  OPERATOR: NEWFIELD PRODUCTION ( N2695 )  CONTACT: MANDIE CROZIER	PHONE NUMBER: 435-643-3721
PROPOSED LOCATION:	INSPECT LOCATN BY: / /
SWSW 19 080S 160E	Tech Review Initials Date
SURFACE: 0443 FSL 0770 FWL BOTTOM: 0443 FSL 0770 FWL	Engineering
COUNTY: DUCHESNE	Geology
LATITUDE: 40.09739 LONGITUDE: -110.1675 UTM SURF EASTINGS: 570966 NORTHINGS: 4438689	Surface
LEASE TYPE: 1 - Federal  LEASE NUMBER: UTU-73089  SURFACE OWNER: 1 - Federal  RECEIVED AND/OR REVIEWED: LOCA	PROPOSED FORMATION: GRRV COALBED METHANE WELL? NO ATION AND SITING:
Plat    Sond: Fed[1] Ind[] Sta[] Fee[]   University	R649-2-3.  t:
STIPULATIONS:  1. Edin Opproud 2-Spacing She	





January 20, 2009

State of Utah, Division of Oil, Gas & Mining ATTN: Diana Mason PO Box 145801 Salt Lake City, UT 84114-5801

RE:

Exception Location Federal 13-19-8-16 T8S R16E, Section 19: Lot 4 443'FSL 770' FWL Duchesne County, Utah

Dear Ms. Mason;

Pursuant to Rule 649-3-3 of the Oil & Gas Rules and Regulations of the State of Utah, Newfield Production Company ("NPC") hereby requests an exception location for the drilling of the captioned well. The proposed drillsite for this well is located within the drilling window required by Rule R649-3-2, however; due to the irregular size of the section and due to issues with the terrain, the drillsite is less than 460' from the lease line.

The attached plat depicts the proposed location. Please note the drillsite is located on U-73089, which is owned 100% by NPC. The drillsite is encroaching on U-81000, which is also owned 100% by NPC.

If you have any questions or require further information, please do not hesitate to contact the undersigned at 303-382-4444 or by email at <a href="mailto:reveland@newfield.com">reveland@newfield.com</a>. Your consideration of this matter is greatly appreciated.

Sincerely,

Roxann Eveland Land Associate

Royann Eveland.

Attachment


# T8S, R16E, S.L.B.&M.

## NEWFIELD PRODUCTION COMPANY

WELL LOCATION, NORTH TRAVIS 13-19-8-16, LOCATED AS SHOWN IN THE SW 1/4 SW 1/4 (LOT 4) OF SECTION 19, T8S, R16E, S.L.B.&M. DUCHESNE COUNTY, UTAH.

### WELL LOCATION: NORTH TRAVIS 13-19-8-16

ELEV. UNGRADED GROUND = 5608.7'



PREPARED FROM FIELD TO TEST OF ACTUS.
MADE BY ME OR UNDER ANY SUPERFOSION
THE SAME ARE TRUE AND CORRECT TO THE MY KNOWLEDGE AND

TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

DATE SURVEYED: 10-30-08	SURVEYED BY: T.H.
DATE DRAWN: 10-31-08	DRAWN BY: F.T.M.
REVISED:	SCALE: 1" = 1000'

Brass Cap

= SECTION CORNERS LOCATED

BASIS OF ELEV: U.S.G.S. 7-1/2 min QUAD (MYTON SW) NORTH TRAVIS 13-19-8-16 (Surface Location) NAD 83 LATITUDE = 40° 05' 50.72" LONGITUDE = 110° 10' 05.77"

Form 3160-3 (August 2007)  UNITED STATES  DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT  APPLICATION FOR PERMIT TO DRILL OR REENTER			FORM APPROVED OMB No. 1004-0137 Expires July 31, 2010  5. Lease Serial No. UTU-73089	
			la. Type of work:  DRILL  REENT	ER
lb. Type of Well: ✓ Oit Welt ☐ Gas Well ☐ Other	Single Zone Mu	ıltiple Zone	8. Lease Name and W Federal 13-19-8-	
Name of Operator Newfield Production Company			9. API Well No.	
3a. Address Route #3 Box 3630, Myton UT 84052	3b. Phone No. (include area code) (435) 646-3721	·	10. Field and Pool, or E Monument Butte	-
4. Location of Well (Report location clearly and in accordance with a	ny State requirements.*)		11. Sec., T. R. M. or Bl	k. and Survey or Area
At surface SW/SW (LOT #4) 443' FSL 770' FWL			Sec. 19, T8S	R16E
At proposed prod. zone				
<ol> <li>Distance in miles and direction from nearest town or post office*</li> <li>Approximately 9.5 miles southwest of Myton, UT</li> </ol>			12. County or Parish  Duchesne	13. State UT
5. Distance from proposed* location to nearest property or lease line, ft. Approx. 443' f/lse, NA' f/unit (Also to nearest drig. unit line, if any)  16. No. of acres in lease 17. Spacing 17. Spacing 17. Spacing		g Unit dedicated to this well  40 Acres		
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft.  Approx. 2200'			31A Bond № on file 1∕YB000493	
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5609' GL	22. Approximate date work will	start*	23. Estimated duration (7) days from SPUD to rig release	
	24. Attachments			
The following, completed in accordance with the requirements of Onshor	re Oil and Gas Order No. 1, must be	attached to thi	s form:	
Well plat certified by a registered surveyor.     A Drilling Plan.	4. Bond to cover Item 20 above		ns unless covered by an e	existing bond on file (see
<ol> <li>A Surface Use Plan (if the location is on National Forest System SUPO must be filed with the appropriate Forest Service Office).</li> </ol>			rmation and/or plans as a	may be required by the
25. Signature			I	Date
Citle Carda Coly	Mandie Crozier			
Regulatory Specialist				
oproved by (Signature) Name (PrintedTyped)			Date	
Title	Office			
Application approval does not warrant or certify that the applicant holds conduct operations thereon.  Conditions of approval, if any, are attached.	s legal or equitable title to those ri	ghts in the subj	ect lease which would en	title the applicant to
Citle 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a cretates any false, fictitious or fraudulent statements or representations as t	ime for any person knowingly and o any matter within its jurisdiction.	l willfully to m	ake to any department or	agency of the United

(Continued on page 2)

RECEIVED JAN 2 6 2009

\*(Instructions on page 2)



Lieutenant Governor

# State of Utah

#### DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

January 26, 2009

Newfield Production Company Rt. 3, Box 3630 Myton, UT 84052

Re:

Federal 13-19-8-16 Well, 443' FSL, 770' FWL, SW SW, Sec. 19, T. 8 South, R. 16 East,

Duchesne County, Utah

#### Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

Appropriate information has been submitted to DOGM and administrative approval of the requested exception location is hereby granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-013-34170.

Sincerely,

Gil Hunt

Associate Director

pab Enclosures

cc:

**Duchesne County Assessor** 

Bureau of Land Management, Vernal Office



Operator:	Newfield Production Company			
Well Name & Number	Federal 13-19-8-16			
API Number:	43-013-34170			
Lease:	UTU-73089			
Location: SW SW	Sec. 19 T. 8 South	<b>R.</b> <u>16 East</u>		

#### **Conditions of Approval**

#### 1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

#### 2. Notification Requirements

Notify the division within 24 hours of spudding the well.

• Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dustin Doucet at (801) 538-5281 (801) 733-0983 home

#### 3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

STATE OF UTAH		FORM 9		
		<b>5.LEASE DESIGNATION AND SERIAL NUMBER:</b> UTU-73089		
SUNDRY NOTICES AND REPORTS ON WELLS 6. IF 1				
		7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)		
		8. WELL NAME and NUMBER: FEDERAL 13-19-8-16		
PANY		9. API NUMBER: 43013341700000		
052 435 646-4825 Ext	PHONE NUMBER:	9. FIELD and POOL or WILDCAT: UNDESIGNATED		
		COUNTY: DUCHESNE		
	n: S	STATE: UTAH		
CK APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPOR	T, OR OTHER DATA		
	TYPE OF ACTION			
	ill this well for one year.	NEW CONSTRUCTION  PLUG BACK  RECOMPLETE DIFFERENT FORMATION  TEMPORARY ABANDON  WATER DISPOSAL  ✓ APD EXTENSION  OTHER:		
435 646-4825	∥ kegulatory Lech			
	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND M.  RY NOTICES AND REPORTS  als to drill new wells, significantly deeper gged wells, or to drill horizontal laterals.  PANY  052  435 646-4825 Ex  P, RANGE, MERIDIAN: Township: 08.0S Range: 16.0E Meridian  CK APPROPRIATE BOXES TO INDICATE  CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION  MPLETED OPERATIONS. Clearly show all p is to extend the permit to driven.	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING  RY NOTICES AND REPORTS ON WELLS  als to drill new wells, significantly deepen existing wells below current gged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO  PANY  PHONE NUMBER:  PHONE NUMBER  PHONE NUMBER  TITLE		



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

### Request for Permit Extension Validation Well Number 43013341700000

**API:** 43013341700000 Well Name: FEDERAL 13-19-8-16

Location: 0443 FSL 0770 FWL QTR SWSW SEC 19 TWNP 080S RNG 160E MER S

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

**Date Original Permit Issued:** 1/26/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not requ

uire revi	sion. Following is a checkl	ist of some items related to the applicat	ion, which should be verified.
	ated on private land, has t ed? 📗 Yes 🌘 No	he ownership changed, if so, has the su	rface agreement been
	any wells been drilled in the requirements for this loca	he vicinity of the proposed well which wation? (a) Yes (a) No	ould affect the spacing or
	here been any unit or othe s proposed well? () Yes	er agreements put in place that could aff	ect the permitting or operation
	there been any changes to the proposed location? (	the access route including ownership, Yes No	or rightof- way, which could
• Has tl	he approved source of wat	er for drilling changed? 🔘 Yes 🌘 N	lo
		nanges to the surface location or access discussed at the onsite evaluation?	
• Is boı	nding still in place, which o	covers this proposed well? 📵 Yes 🗍	Approved by the No Utah Division of Oil, Gas and Mining
	Mandie Crozier		
Title:	Regulatory Tech Represent	ting: NEWFIELD PRODUCTION COMPANY $lacksquare$	January 28, 2010
			C (1111)

Sig

STATE OF UTAH			FORM 9			
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	5	5.LEASE DESIGNATION AND SERIAL NUMBER UTU-73089			
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for proposals to drill new wells, significantly deepen exist bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use AI DRILL form for such proposals.		ing wells below current PPLICATION FOR PERMIT TO	7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)			
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: FEDERAL 13-19-8-16			
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COM	PANY		9. API NUMBER: 43013341700000			
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT, 84	435 646-4825 Ext	UMBER:	9. FIELD and POOL or WILDCAT: MONUMENT BUTTE			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0443 FSL 0770 FWL			COUNTY: DUCHESNE			
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SWSW Section: 19	P, RANGE, MERIDIAN: 9 Township: 08.0S Range: 16.0E Meridian: S		STATE: UTAH			
11. CHE	CK APPROPRIATE BOXES TO INDICATE NA	ATURE OF NOTICE, REPORT,	OR OTHER DATA			
TYPE OF SUBMISSION		TYPE OF ACTION				
	CHANGE TO PREVIOUS PLANS  CHANGE WELL STATUS  DEEPEN  OPERATOR CHANGE  PRODUCTION START OR RESUME  REPERFORATE CURRENT FORMATION  TUBING REPAIR  WATER SHUTOFF	to Drill this well for one	•			
NAME (PLEASE PRINT) Mandie Crozier	<b>PHONE NUMBER</b> 435 646-4825	TITLE Regulatory Tech				
SIGNATURE N/A	755 040-4025	DATE 1/24/2011				



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43013341700000

**API:** 43013341700000 **Well Name:** FEDERAL 13-19-8-16

Location: 0443 FSL 0770 FWL QTR SWSW SEC 19 TWNP 080S RNG 160E MER S

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

**Date Original Permit Issued:** 1/26/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

ane revision. Following is a checklist of some items related to the application, which should be verified.
<ul> <li>If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No</li> </ul>
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes</li> <li>No</li> </ul>
• Has the approved source of water for drilling changed?   Yes  No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No

**Signature:** Mandie Crozier **Date:** 1/24/2011

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY

Form 3160-3 (August 2007)

#### UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0137 Expires July 31, 2010

5.	Lease Serial No.
	UTU-73089

APPLICATION FOR PERMIT TO DRILL OR REENTER			6. If Indian, Allotee or Tribe Name NA			
la. Type of work: ✓ DRILL REENTER			7 If Unit or CA Agreement, Name and No. NA Greater Mon . Butte			
lb. Type of Well:  Oil Well  Gas Well  O	Other S	ngle Zone Mult	tiple Zone	8. Lease Name and Well Federal 13-19-8-16	No.	
2. Name of Operator Newfield Production Compa	ny			9. API Well No.		
3a. Address Pouto #2 Poy 2620 Maton LIT 9405	3h Phone N	). (include area code)		43 -0/3		170
3a. Address Route #3 Box 3630, Myton UT 8405	<b>-</b>	646-3721	•	10. Field and Pool, or Expl  Monument Butte	oratory	
4. Location of Well (Report location clearly and in accord	ance with any State requirer	nents.*)		11. Sec., T. R. M. or Blk.a	nd Survey o	or Area
At surface SW/SW (LOT #4) 443' FSL	770' FWL			Sec. 19, T8S R	•	
At proposed prod. zone						•
14. Distance in miles and direction from nearest town or pos Approximately 9.5 miles southwest of Myton, U				12. County or Parish Duchesne	13. S	State
15. Distance from proposed* location to nearest	16. No. of	cres in lease	17. Spacin	g Unit dedicated to this well	·····	
property or lease line, ft. Approx. 443' f/lse, NA' f. (Also to nearest drig. unit line, if any)	unit 17	8.53		40 Acres	·	
18. Distance from proposed location* to nearest well, drilling, completed,	19. Propose	-	ı	BIA Bond No. on file		
applied for, on this lease, ft.  Approx. 2200	6,57	5'	ν	VYB000493		
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approxi	mate date work will st	art*	23. Estimated duration		
5609' GL				(7) days from SPUD t	o rig relea	ise
	24. Atta					
The following, completed in accordance with the requirement	s of Onshore Oil and Gas	Order No.1, must be	attached to th	is form:		
<ol> <li>Well plat certified by a registered surveyor.</li> <li>A Drilling Plan.</li> <li>A Surface Use Plan (if the location is on National Fore SUPO must be filed with the appropriate Forest Service (</li> </ol>	est System Lands, the Office).	Item 20 above).  5. Operator certifi  6. Such other site	cation	ns unless covered by an exis		·
25. Signature	Nama	BLM. (Printed/Typed)		In.		
23. Signature	1	ie Crozier		Date	בו/ב	Ina
Title  Regulatory Specialist	,	1			SYLO	100
Approved by (Signature)	Name	(Frinted/Typed)	//	Dat	e	22 201
1 geme Nalew	$\sim$ $\sim$	ADMITTS	4101	7	JUL	<u> </u>
Assistant Field Manager  Lands & Mineral Resources  Application approval does not warrant or certify that the app	Office	VER	NAL FIE	LD OFFICE		· ·
conduct operations thereon.	NDITIONS OF AF			ject lease which would entitle	e the applica	int to
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, n States any false, fictitious or fraudulent statements or representations.				nake to any department or ago	ency of the	United
(Continued on page 2)				*(Instruct	ions on 1	page 2)
		3 #	, N	IOS <u>II/6/0</u> FMSS# <u>0</u>	8	
NOTICE OF APPROVAL		RE	A CEIVE	FMSS# <u>&amp;</u> ED	15x5	<u> 2114</u> A

NOTICE OF APPROVAL

AUG 0 2 2011

DIV. OF OIL, GAS & MINING



# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE

VERNAL, UT 84078

(435) 781-4400



#### CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company:

**Newfield Production Company** 

170 South 500 East

Location:

SWSW, (Lot #4), Sec. 19, T8S,

**R16E** 

Well No:

Federal 13-19-8-16

Lease No:

UTU-73089

API No:

43-013-34170

Agreement:

**Greater Monument Butte Unit** 

OFFICE NUMBER:

(435) 781-4400

**OFFICE FAX NUMBER:** 

(435) 781-3420

# A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

#### **NOTIFICATION REQUIREMENTS**

Location Construction (Notify Environmental Scientist)	-	Forty-Eight (48) hours prior to construction of location and access roads.
Location Completion (Notify Environmental Scientist)	-	Prior to moving on the drilling rig.
Spud Notice (Notify Petroleum Engineer)	-	Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to running casing and cementing all casing strings to: ut vn opreport@blm.gov.
BOP & Related Equipment Tests (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify Petroleum Engineer)	-	Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

#### SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

- All new and replacement internal combustion gas field engines of less than or equal to 300 designrated horsepower must not emit more than 2 gms of NO<sub>x</sub> per horsepower-hour. This requirement does not apply to gas field engines of less than or equal to 40 design-rated horsepower.
- All and replacement internal combustion gas field engines of greater than 300 design rated horsepower must not emit more than 1.0 gms of NO<sub>x</sub> per horsepower-hour.
- If there is an active Gilsonite mining operation within 2 miles of the well location, operator shall notify the Gilsonite operator at least 48 hours prior to any blasting during construction.
- If paleontological materials are uncovered during construction, the operator is to immediately stop
  work and contact the Authorized Officer (AO). A determination will be made by the AO as to what
  mitigation may be necessary for the discovered paleontologic material before construction can
  continue.
- Drill cuttings will be contained and buried in the reserve pit. Drilling fluids, including salts and chemicals, will be contained in the reserve pit. Upon termination of drilling and completion operations, the liquid contents of the reserve pit will be used at the next drill site or will be removed and disposed of at an approved waste disposal facility within 120 days after drilling is terminated. Immediately upon well completion, any hydrocarbons in the pit will be removed in accordance with 43 CFR 3162.7-1 (Newfield SOP 2003).
- Any oil, gas, saltwater, or other noxious fluid spills will be immediately removed and transported to an approved disposal site (Newfield SOP 2003).
- No hazardous wastes (as defined in 40 CFR 355 or subject to reporting under SARA Title III) will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completing of this well (Newfield SOP 2003).
- Production facilities shall be placed towards the front of the location, when on cut, to maximize the
  amount of reclamation that is to be done when the well goes into production. Any additional unused
  areas of the well pad will undergo interim reclamation as well to keep the topsoil being stripped
  viable and healthy until final reclamation takes place.
- Topsoil shall be stored on location for reclamation purposes only. Topsoil pile shall be marked and piled no greater than 8 feet in height to minimize the potential of soils loss to erosional forces.
- Hospital mufflers shall be placed on all pump jacks in this proposal, to minimize the sound impacts in an area that had raptors frequenting the area.
- All production facilities for each of the 27 proposed locations will be painted Covert Green in the new BLM approved Environmental Color Chart.
- Reclamation monitoring report shall be submitted March 31<sup>st</sup> of each year following the start of any reclamation project for any of the 27 proposed well locations.
- Newfield will follow their approved reclamation plan for interim and final reclamation. The goal is to reach 75% native vegetated basal cover within 5years of interim reclamation efforts. However, if not reached after 5 years some additional suggestions on new methods will be applied to help increase the reclamation potential.

Page 3 of 7 Well: Federal 13-19-8-16 7/21/2011

- Golden Eagle timing restriction on the 8-22-8-16 location.
- Construction and drilling is not allowed from January 1 August 31 to minimize impacts during Golden eagle nesting. If it is anticipated that construction or drilling will occur during the given timing restriction, a BLM qualified biologist shall be notified so surveys can be conducted.
   Depending upon the results of the surveys, permission to proceed may or may not be granted by the BLM authorized officer.
- Mountain Plover timing on the following wells:
- 15-22-8-16, 8-22-8-16, 3-22-8-16,4-22-8-16, 6-22-8-16, 4-27-8-16, 16-22-8-16, 1-27-8-16, 2-27-8-16, 9-20-8-16, 14-27-8-16, 10-22-8-16, 1-22-8-16, 5-22-8-16, 9-22-8-16, 2-22-8-16, 7-22-8-16, 12-27-8-16, 11-27-8-16, 7-27-8-16, 6-27-8-16, 5-27-8-16, 14-22-8-16, 12-22-8-16, 11-22-8-16, 16-19-8-16.
- Construction and drilling is not allowed from May 1 June 15 to minimize impacts during mountain plover nesting. If it is anticipated that construction or drilling will occur during the given timing restriction, a BLM or qualified biologist shall be notified so surveys can be conducted. Depending upon the results of the surveys, permission to proceed may or may not be granted by the BLM Authorized Officer.
- Burrowing Owl timing on the following wells:
- 15-22-8-16, 8-22-8-16, 3-22-8-16,4-22-8-16, 6-22-8-16, 4-27-8-16, 16-22-8-16, 1-27-8-16, 2-27-8-16, 9-20-8-16, 14-27-8-16, 10-22-8-16, 1-22-8-16, 5-22-8-16, 9-22-8-16, 2-22-8-16, 7-22-8-16, 12-27-8-16, 11-27-8-16, 7-27-8-16, 6-27-8-16, 5-27-8-16, 14-22-8-16, 12-22-8-16, 11-22-8-16, 16-19-8-16, 15-19-8-16, 14-19-8-16, 13-19-8-16.
- Construction and drilling is not allowed from March 1 August 31 to minimize impacts during burrowing owl nesting. If it is anticipated that construction or drilling will occur during the given timing restriction, a BLM or qualified biologist shall be notified so surveys can be conducted. Depending upon the results of the surveys, permission to proceed may or may not be granted by the BLM Authorized Officer
- Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, and trash. Any hydrocarbons in the pit will be removed in accordance with 43 CFR 3162.7-1. Also, reserve pit will be closed within 180 days of the well sites going into production in accordance with Onshore Order #1 regulations. Pits will undergo recontouring, seed bed preparation, and seeded with approved seed mix.
- All pipelines and roads will be restricted to one single 60 foot width of disturbance. This is will
  decrease potential impacts to soils and native vegetation, and lessen the overall footprint, when
  vegetation becomes reestablished.

Page 4 of 7 Well: Federal 13-19-8-16 7/21/2011

# DOWNHOLE PROGRAM CONDITIONS OF APPROVAL (COAs)

#### SITE SPECIFIC DOWNHOLE COAs:

 Newfield Production Co. shall adhere to all referenced requirements in the SOP (version: June 24, 2008) along with all Oil and Gas rules and requirements listed in the Code of Federal Regulations and all Federal Onshore Oil and Gas Orders.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

#### DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily
  drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order
  No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a
  test pump with a chart recorder and <u>NOT</u> by the rig pumps. Test shall be reported in the driller's
  log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is
  encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal
  Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.

Page 5 of 7 Well: Federal 13-19-8-16 7/21/2011

- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM,
   Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the <u>top of cement</u> and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- Please submit an electronic copy of all other logs run on this well in LAS format to UT\_VN\_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

#### **OPERATING REQUIREMENT REMINDERS:**

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- For information regarding production reporting, contact the Office of Natural Resources Revenue (ONRR) at <a href="https://www.ONRR.gov">www.ONRR.gov</a>.
- Should the well be successfully completed for production, the BLM Vernal Field office must be
  notified when it is placed in a producing status. Such notification will be by written communication
  and must be received in this office by not later than the fifth business day following the date on
  which the well is placed on production. The notification shall provide, as a minimum, the following
  informational items:
  - o Operator name, address, and telephone number.
  - Well name and number.
  - Well location (¼¼, Sec., Twn, Rng, and P.M.).
  - Date well was placed in a producing status (date of first production for which royalty will be paid).
  - o The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
  - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
  - o Unit agreement and/or participating area name and number, if applicable.
  - o Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs,

Page 7 of 7 Well: Federal 13-19-8-16 7/21/2011

core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office
  Petroleum Engineers will be provided with a date and time for the initial meter calibration and all
  future meter proving schedules. A copy of the meter calibration reports shall be submitted to the
  BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid
  hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall
  be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to
  the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first.
  All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All
  product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in
  accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering
  lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a
  suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be
  obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
  equipment shall be removed from a well to be placed in a suspended status without prior approval
  of the BLM Vernal Field Office. If operations are to be suspended for more than 30 days, prior
  approval of the BLM Vernal Field Office shall be obtained and notification given before resumption
  of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

Sundry Number: 22001 API Well Number: 43013341700000

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MINI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-73089
SUNDF	RY NOTICES AND REPORTS C	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly d reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: FEDERAL 13-19-8-16
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	OMPANY		9. API NUMBER: 43013341700000
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT		PHONE NUMBER: Ext	9. FIELD and POOL or WILDCAT: MONUMENT BUTTE
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0443 FSL 0770 FWL			COUNTY: DUCHESNE
QTR/QTR, SECTION, TOWNS	HIP, RANGE, MERIDIAN: 19 Township: 08.0S Range: 16.0E Meridi	an: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
1/26/2012	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN [	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:		SITA STATUS EXTENSION	
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
I .	COMPLETED OPERATIONS. Clearly show al		
Newfield proposes	to extend the Application for	Permit to Drill this well	Approved by the Utah Division of
	for one year.		Oil, Gas and Mining
			Date: January 12, 2012
			Date: Sandary 12, 2012
			By:
NAME (DI EACE DOINT)	BUONE NUMBE	D TITLE	
NAME (PLEASE PRINT) Mandie Crozier	<b>PHONE NUMBE</b> 435 646-4825	R TITLE Regulatory Tech	
SIGNATURE N/A		<b>DATE</b> 1/10/2012	

Sundry Number: 22001 API Well Number: 43013341700000



### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY

### Request for Permit Extension Validation Well Number 43013341700000

**API:** 43013341700000 **Well Name:** FEDERAL 13-19-8-16

Location: 0443 FSL 0770 FWL QTR SWSW SEC 19 TWNP 080S RNG 160E MER S

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 1/26/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

ronowing is a checklist of some items related to the application, which should be verified.
<ul> <li>If located on private land, has the ownership changed, if so, has the surface agreement been updated?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes <a href="#"></a></li></ul>
• Has the approved source of water for drilling changed? 🔘 Yes 📵 No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well? 🌘 Yes 🔘 No
Signature: Mandie Crozier Date: 1/10/2012

Sundry Number: 33859 API Well Number: 43013341700000

	STATE OF UTAH		FORM 9
1	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MININ	G	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-73089
SUNDR	RY NOTICES AND REPORTS ON	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly dee reenter plugged wells, or to drill horizonta n for such proposals.		7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: FEDERAL 13-19-8-16
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	OMPANY		9. API NUMBER: 43013341700000
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT		IONE NUMBER:	9. FIELD and POOL or WILDCAT: MONUMENT BUTTE
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0443 FSL 0770 FWL			COUNTY: DUCHESNE
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 19 Township: 08.0S Range: 16.0E Meridiar	n: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE I	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	☐ ACIDIZE ☐	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
1/26/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12 DESCRIPE PROPOSED OR		portinent details including detect	Nonths valumes ato
	COMPLETED OPERATIONS. Clearly show all p ses to extend the Application 1		Approved by the
Nominora propo	see to extend the rippheation.		<b>Utah Division of</b>
			Oil, Gas and Mining
			Date: January 16, 2013
			By: Basylll
NAME (DI EASE DRINT)	PHONE NUMBER	TITLE	
Mandie Crozier	435 646-4825	Regulatory Tech	
SIGNATURE		<b>DATE</b> 1/15/2013	
N/A		1/13/2013	

Sundry Number: 33859 API Well Number: 43013341700000



### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY

### Request for Permit Extension Validation Well Number 43013341700000

**API:** 43013341700000 **Well Name:** FEDERAL 13-19-8-16

Location: 0443 FSL 0770 FWL QTR SWSW SEC 19 TWNP 080S RNG 160E MER S

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 1/26/2009

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

to downing to a chockmot of come fronte foliated to the approachen, which check be verified.
• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of thi proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes</li> <li>No</li> </ul>
• Has the approved source of water for drilling changed? 📋 Yes 📵 No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well? 🌘 Yes 🔘 No
Signature: Mandie Crozier Date: 1/15/2013



# State of Utah

#### DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER

Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA

Division Director

August 28, 2013

Mandie Crozier Newfield Production Company Route #3 Box 3630 Myton, UT 84052 43 013 34170 Federal 13-19-8-14 85 16E 19

Re:

APDs Rescinded for Newfield Production Company,

**Duchesne County** 

Dear Ms. Crozier:

Enclosed find the list of APDs that you have asked to be rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded, effective August 27, 2013.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

**Environmental Scientist** 

cc:

Well File

Bureau of Land Management, Vernal

SITLA, Ed Bonner





### APD's to Rescind

Mandie Crozier <mcrozier@newfield.com>
To: "dianawhitney@utah.gov" <dianawhitney@utah.gov>

Tue, Aug 27, 2013 at 4:18 PM

Newfield would like to have the following Approved APD's Rescinded. (See attached list). Most of these APD's were permitted and approved in 2010 or earlier. We would like to emphasize that this is not an on-going issue and that we have drilled or plan to drill 95% of the APD's we've applied for in recent years. These were some areas and play types that we were assessing that we had to permit in advance due to long permit lag time – this caused us to "over-permit" these areas/plays so that we would have options to drill if successful.

# Mandie Crozier Regulatory Specialist.

Office: 435-646-4825 Mobile: 435-401-8335





APD's to Rescind\_001.pdf

Case Number	Well Name	Num	Lease	TYPE	Comment
UTU87538X	FEDERAL	10-21-8-16	UTU69060	40	4301350033
UTU87538X	HAWKEYE FEDERAL	10-22-8-16	UTU73088	40	4301350094
UTU87538X	FEDERAL	11-21-8-16	UTU69061	40	4301350034
UTU87538X	FEDERAL	11-22-8-16	UTU77339	40	4301350085
UTU87538X	HAWKEYE FEDERAL	11-27-8-16	UTU73088	40	4301350057
UTU87538X	FEDERAL	11-35-8-15	UTU67168	40	4301334252
UTU87538X	STATE	11-36-8-15	STATE	40	4301334225
UTU87538X	FEDERAL	1-21-8-16	UTU69060	40	4301350025
UTU87538X	FEDERAL	12-22-8-16	UTSL065914	40	4301350086
UTU87538X	FEDERAL	12-25-8-15	UTU67168	40	4301350048
UTU87538X	HAWKEYE FEDERAL	12-27-8-16	UTU73088	40	4301350056
UTU87538X	FEDERAL	1-25-8-15	UTU67168	40	4301350027
UTU87538X	HAWKEYE FEDERAL	1-27-8-16	UTU73088	40	4301350040
UTU87538X	FEDERAL	1-29-8-16	UTU69061	40	4301350144
UTU87538X	FEDERAL	1-30-8-16	UTU81000	40	4301334192
UTU87538X	FEDERAL	13-19-8-16	UTU73089	40	4301334170

-7 Was Rescanded on 6/14/2012



	<del></del>	-			
UTU87538X	FEDERAL	14-19-8-16	UTU73089	40	4301334169
UTU87538X	FEDERAL	14-21-8-16	UTU69061	40	4301350029
UTU87538X	FEDERAL	14-22-8-16	UTU77339	40	4301350100
UTU87538X	TRAVIS FEDERAL	14-27-8-16	UTU62848	40	4301350055
UTU87538X	FEDERAL	15-19-8-16	UTU73089	40	4301334168
UTU87538X	FEDERAL	15-21-8-16	UTU69060	40	4301350028
UTU87538X	FEDERAL	16-19-8-16	UTU73089	40	4301334167
UTU87538X	FENCELINE FEDERAL	1A-22-8-16	UTU74868	40	4301350090
UTU87538X	FEDERAL	2-21-8-16	UTU69060	40	4301350030
UTU87538X	FENCELINE FEDERAL	2-22-8-16	UTU74868	40	4301350891
UTU87538X	HAWKEYE FEDERAL	2-27-8-16	UTU73088	40	4301350041
UTU87538X	FEDERAL	2-29-8-16	UTU69061	40	4301334178
UTU87538X	WEST POINT FEDERAL	2-31-8-16	UTU74389	40	4301334200
UTU87538X	FEDERAL	3-22-8-16	UTU76561	40	4301350082
UTU87538X	FEDERAL	3-29-8-16	UTU69060	40	4301334177
UTU87538X	FEDERAL	3-30-8-16	UTU81000	40	4301334190
UTU87538X	FEDERAL	4-22-8-16	UTU76561	40	4301350099

<u></u>			parties		
UTU87538X	FENCELINE FEDERAL	4-23-8-16	UTU74868	40	4301350130
UTU87538X	FEDERAL	4-27-8-16	UTU77339	40	4301350062
UTU87538X	FEDERAL	4-29-8-16	UTU69060	40	4301334176
UTU87538X	FEDERAL	5-22-8-16	UTU76561	40	4301350083
UTU87538X	FENCELINE FEDERAL	5-23-8-16	UTU74868	40	4301350133
UTU87538X	HAWKEYE FEDERAL	5-27-8-16	UTU73088	40	4301350063
UTU87538X	FEDERAL	5-30-8-16	UTU81000	40	4301334189
UTU87538X	WEST POINT FEDERAL	5-31 <b>-8</b> -16	UTU74389	40	4301334197
UTU87538X	FEDERAL	6-21-8-16	UTU69060	40	4301350031
UTU87538X	FEDERAL	6-22-8-16	UTU76561	40	4301350084
UTU87538X	HAWKEYE FEDERAL	6-27-8-16	UTU73088 -	40	4301350064
UTU87538X	FEDERAL	6-30-8-16	UTU81000	40	4301334188
UTU87538X	WEST POINT FEDERAL	6-31-8-16	UTU74389	40	4301334196
UTU87538X	FEDERAL	6-35-8-15	UTU67168	40	4301334247
UTU87538X	FENCELINE FEDERAL	7-22-8-16	UTU <b>74</b> 868	40	4301350091
UTU87538X	HAWKEYE FEDERAL	7-27-8-16	UTU73088	40	4301350058
UTU87538X	FEDERAL	7-35-8-15	UTU67168	40	4301334248

•

UTU87538X	FEDERAL	8-21-8-16	UTU69060	40	4301350032	
UTU87538X	FENCELINE FEDERAL	8-22-8-16	UTU74868	40	4301350092	
UTU87538X	FEDERAL	8-35-8-15	UTU67168	40	4301334249	
UTU87538X	FEDERAL	9-20-8-16	UTU77339	40	4301350089	
UTU87538X	HAWKEYE FEDERAL	9-22-8-16	UTU73088	40	4301350093	
UTU87538X	FEDERAL	9-35-8-15	UTU67168	40	4301334250	
UTU87538X	GMBU	G-32-8-16	STATE	20	4301350835	*
UTU87538X	GMBU	H-32-8-16	STATE	20	4301350836	7 Sition
UTU87538X	GMBU	L-32-8-16	STATE	20	4301350837	-> 2: +10-
UTU87538X	GMBU	Q-32-8-16	STATE	20	4301350838	75,+100 75,+100
UTU87538X	GMBU	R-32-8-16	STATE	20	4301350839	SHIW



## **United States Department of the Interior**

BUREAU OF LAND MANAGEMENT Green River District Vernal Field Office 170 South 500 East Vernal, UT 84078 http://www.blm.gov/ut/st/en/fo/vernal.html



OCT 2 8 2013

IN REPLY REFER TO: 3160 (UTG011)

Mandie Crozier **Newfield Production Company** Route 3. Box 3630 Myton, UT 84052

Re: Request to Rescind Approved APD

> Well No. Federal 13-19-8-16 Lot 4, Sec. 19, T8S, R16E Duchesne County, Utah Lease No. UTU-73089

43 013 34170

Dear Ms. Crozier:

The Application for Permit to Drill (APD) for the above-referenced well was approved on July 22. 2011. This office is rescinding its approval of the referenced Application for Permit to Drill per your request to this office in an email message to Land Law Examiner Robin Hansen received on August 27, 2013. If you intend to drill at this location in the future, a new Application for Permit to Drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made for this drill site. Any surface disturbance associated with the approved location of this well is to be rehabilitated. A schedule for this rehabilitation must be submitted to this office. Your cooperation in this matter is appreciated.

If you have any questions regarding APD processing, please contact Leslie Buhler at (435) 781-3432.

Sincerely.

Jerrv Kenczka

Assistant Field Manager Lands & Resource Minerals

RECEIVED NOV 04 2013

DIV.OFOIL, GAS&MINING

